


Roof Screen



Call: 833.629.6464




Name and Brand Awning for Patio

Exterior curtain technologies



[www.awningforpatio.com](http://www.awningforpatio.com)

PRODUCT



**PRO Series**  
Roof Screen

AUTOMATION



**somfy.**

Somfy RTS Motor (Remote Control)

FABRIC



**Serge Ferrari**

Soltis 92 Series

COLOR



**RAL**

Standard colors and special colors

OPTIONAL



**OPTIONAL PRODUCTS**

Optional additions



**PRO Roof Screen**

Box; 195 x 150 mm  
Max Area; 28 m<sup>2</sup>



**ZP 105**

Box; 105 x 106 mm  
Max Area; 17,5 m<sup>2</sup>



**ZP 125**

Box; 125 x 127 mm  
Max Area; 21,5 m<sup>2</sup>



**ZP 125 Line**

Box; 125 x 127 mm  
Max Area; 12 m<sup>2</sup>



These product groups are in other lists. Request.

SAMPLES of APPLICATION




Exterior curtain technologies



100% screwless surface

FABRIC and ROPE

Fabric wrapping is done from the top, all residues are kept out during wrapping, only space is left for the fabric at the box outlet, inside of the box is not visible!




Click

ZIPPER DETAIL

The screwless locked profile group, PVC wick and zipper detail are specially designed for ease of assembly and strong wind resistance.

Max. Practical.  
Max. Strong



Click

CLIPS LOCKED BOX COVER


Clips locked cover profile does not require screws. Montage and maintenance works are fast and practical.



Click

WATER DRAIN


There is a hidden water reservoir in the front profile and a channel for water flow on the side rail. All collected water is drained from the rail end.



Click

CLIPS LOCKED RAIL PROFILE


Easy montage without screws! The strong locked rail profile group provides max. ease of assembly, besides chic appearance. Maintenance takes place quickly.



Click

SEQUENTIAL APPLICATION


Perfect joints are formed without any gaps in sequential applications.





SCREWLESS FINISH, SMOOTH SURFACE

All screws are hidden and side cover is kept in alignment with rail profile, no gap is visible between adjacent products.





Synchronized spring mechanism balances the fabric bidirectionally.



PRO	
Max. Width	5000 / 6000 mm
Max. Length	6000 mm
Max. Area	28 m <sup>2</sup>
Box dimensions	195 x 150 mm



STANDARD COLORS

RAL / CODE

SEMI-GLOSS

MATT

STRUCTURAL

9005

7016

7039

8016

1013

9010

9016

Favorite color 6  
1  
0  
7

SPECIAL COLORS

SEMI-GLOSS

MATT

STRUCTURAL

WOODEN EFFECT

RAL

Special paint price differences are valid for PULVER and IBA brand paints.

Please consult for **specific** paint selections.

STANDARD

- 7 Different colors
- 3 Different textures
- 20 Different shades



Serge Ferrari

TREND COLORS

SOLTIS 92  
(% 5 Transmittance)



92-2047



92-2167




92-2175




92-2171

SOLTIS 92 Series  
(% 5 Transmittance)

Access the catalog for more colors and specifications.







## PRO Zip Roof Screen

Call: 833.629.6464



Name and Brand Awning for Patio

Exterior curtain technologies